Mud Pump RMKP-550-7”

Serial-No.: Z12041
Year of manufacture: 03/2012
Unused

Hochdruckpumpenservice GmbH
Schmolkamp 4B
D-29358 Eicklingen
Germany


Tel: +49 (0) 5144-1869
Fax: +49 (0) 5144-56605
Email: info@hps-celle.de
Web: www.hps-celle.de

1. Technical Data

1.1 Design Features

Pump features a rigid steel fabricated frame with a casted suction manifold with a fabricated two-sided inlet. Discharge connection may be made from either side of the pump. Includes strainer block with pulsation dampener, mounted on a pony skid.

1.2 Dimension



RSMC RMK-PZ7 MUD PUMP

Note:All installations must contain a pressure relief valve in the discharge line near the pump

1.3 Performance data high pressure pump

Type:	Triplex Mud pump - RMKP-550-7”
Rated BHP:	550
Rotational speed max:	max. 145 rpm
Gear ratio:	4,625:1
Input speed max: (transmission shaft)	670 rpm

Stroke: 7“
Suction pipe: 8“
Discharge pipe: 4“

Oil quantity: 60 gal
Oil type: 80W
Wight Dry: 23800 lbs

1.4 Displacement at rated BHP and RPM

Size	7”	6 ½”	6 ¼”	6”	5 ½”	5”	4 ½”	4”
GPM	507	437		373	313	259	210	166
Liter	1919	1654		1412	1185	980	795	628
PSI	1673	1940		2277	2710	3279	4048	5000
Bar	118	136		160	191	231	285	352









Quoted Price: **75.750,00 €**

Availability:	In stock at warehouse Eicklingen
Terms of delivery:	ex Works Ready for pickup/ready for shipment 3 days after order